

Carglumic Acid Tablets for Oral Suspension Patient Referral Form

Please select one: Newly Prescribed Patient Patient Currently on Carglumic Acid

Patient Information *Please print	Last Name:	t Name: First Name:		SSN:		Sex: M	O F
	Address:	City:		State:	Zip:		
	Phone: Day #	Evening #:		Cell # :	Preferred m Day #	ethod of Contact: Evening #	Cell #
	DOB:	Weight L	.bs:	Kg:	Height:	BSA:	
	If Patient is a Minor, Guardian/Parent Name: Relation to Patient:						
đ	Emergency Contact: Phone #:						
	Primary Insurance Co. Name:			·	Phone #:		
Insurance Information	Policy Holder Name: Policy #:			Group #:	Group #:		
	Prescription Card Name:				Phone #:		
Insur Iform	Policy #:				Group #:		
In	Secondary Insurance Co. Name:				Phone #:		
	Policy Holder Name:		Policy #:		Group #:		
uo	Prescriber Name/Title:						
matio	NPI: DEA: Medicaid UPIN:					ense #:	
Infor	Address:	Address:					
Physician Information	City:			State:	Zip:		
	Name of Contact Person:			Phone:			
Ц	Physician Email:				Fax:		
		<u>_</u>					
Prescription	Carglumic Acid Tablets for Oral SIG: Take mg; equaling (to be divided into 2-4 doses pe Refills Special Instruction:	cablets per day D	mg Dispense: 30 Day Supply		in a minimum of 2 mmediately before times per day.		-
Medical Necessity Prescription	SIG: Take mg; equaling f (to be divided into 2-4 doses per Refills Special Instruction: Please check applicable ICD-10 coord NAGS Deficiency (E72.20) NKDA Baseline Ammonia Level: Clinical Impression:	r day). r day).	Dispense: 30 Day Supply	tablet and drink in Take this dose	mmediately before times per day. 	meals or fe	edings.
Medical Necessity	SIG: Take mg; equaling f (to be divided into 2-4 doses per Refills Special Instruction: Please check applicable ICD-10 coor NAGS Deficiency (E72.20) NKDA Baseline Ammonia Level: Clinical Impression: Concurrent Medication:	r day). r day). r day). r day). le: Other Allergies: umol/L	Dispense: 30 Day Supply Test Date:	tablet and drink in Take this dose	mmediately before times per day. 	meals or fe	edings.
Medical Necessity	SIG: Take mg; equaling f (to be divided into 2-4 doses per Refills Special Instruction: Please check applicable ICD-10 coord NAGS Deficiency (E72.20) NKDA Baseline Ammonia Level: Clinical Impression:	r day). r day). le: Other Allergies: umol/L	Dispense: 30 Day Supply Test Date:	tablet and drink in Take this dose	mmediately before times per day. 	meals or fe	edings.
Medical Necessity	SIG: Take mg; equaling f (to be divided into 2-4 doses per Refills Special Instruction: Please check applicable ICD-10 coor NAGS Deficiency (E72.20) NKDA Baseline Ammonia Level: Clinical Impression: Concurrent Medication:	r day). r day for a method of the second sec	Dispense: 30 Day Supply Test Date:	tablet and drink in Take this dose	mmediately before times per day. 	meals or fe	edings.
Medical Necessity Date W Dispens	SIG: Take mg; equaling for the divided into 2-4 doses per the divided into 2-4 dos	r day). r day for a method solution. Sub	Dispense: 30 Day Supply Test Date: edically necessary p	tablet and drink in Take this dose	mmediately before times per day. 	meals or fe	edings.
Medical Necessity Date W Dispens	SIG: Take mg; equaling for the divided into 2-4 doses performed into 2-4 doses performed for the divided for the	r day). r day for a method statement for a method	Dispense: 30 Day Supply Test Date: dically necessary p bstitution Allowed: amped Signatures A	tablet and drink in Take this dose	mmediately before	meals or fe	edings.

Patient Marketing Opt-In Authorization

From time to time, Eton Pharmaceuticals, the marketer of Carglumic Acid may provide useful patient information or updates to our pharmacy services and offerings. By signing below and providing your contact information, you authorize Eton Pharmaceuticals and the companies working with Eton Pharmaceuticals to provide you with information, resources, and communication regarding your treatment. You agree that Eton Pharmaceuticals may contact you via email, direct mail, text, or phone call. Additionally, you agree that we may contact you and invite you to share your opinions regarding products, programs, and services. Eton Pharmaceuticals respects your personal information. All personal and/or medical information you have provided will be kept confidential and will not be used or distributed to anyone for any purpose other than what is explained here. We encourage you to read our Privacy Notice www.carglumicacid.com. You may opt out of further communications at any time by calling 1-888-991-1330.

Patient/Guardian Signature		_ Date:
Mailing Address:		
Cell:	Email:	

IMPORTANT SAFETY INFORMATION AND INDICATIONS

- Carglumic Acid tablets are for oral suspension and must be mixed in water before taking. Carglumic acid should **not be** mixed in any food or liquid other than water.
- **Do not** swallow Carglumic Acid tablets whole.
- **Do not** crush Carglumic Acid tablets.
- Take Carglumic Acid right before meals or feedings.

Adverse Reactions

Most common adverse reactions are vomiting, abdominal pain, pyrexia, tonsillitis, anemia, diarrhea, ear infection, infections, nasopharyngitis, hemoglobin decreased, and headache. These are not all the adverse reactions reported with Carglumic Acid.

Please visit <u>www.carglumicacid.com</u> for more information.

You are encouraged to report negative side effects of prescription drugs to Eton Pharmaceuticals at 1-855-224-0233, or FDA at 1-800-FDA-1088, or visit <u>www.fda.gov/safety/medwatch.</u>

Please see the Full Prescribing Information, including Instructions for Use, for Carglumic Acid.

INDICATIONS

Carglumic acid tablets for oral suspension are indicated in pediatric and adult patients as:

- Adjunctive therapy to standard of care for the treatment of acute hyperammonemia due to N-acetylglutamate synthase (NAGS) deficiency.
- Maintenance therapy for the treatment of chronic hyperammonemia due to NAGS deficiency.